

# AWESOME



- non-hazardous
- non-toxic
- biodegradable

## Spot and Stain Remover

800-241-7708

**\$144<sup>00</sup>**

per case of 12-16 ounce bottles  
or, single bottles  
**\$15<sup>95</sup> each**



### AMERICAN NIAGARA

**DIV. APPAREL SOURCING GROUP, INC.**

6690 JONES MILL COURT • BLDG. "A&B" • NORCROSS, GA 30092


PHONE: (770) 441-5900 • FAX (770) 409-7240 OR 7259

**TOLL FREE 1-800-241-7708**

**website: [www.american-niagara.com](http://www.american-niagara.com)**

**e-mail: [wayne@american-niagara.com](mailto:wayne@american-niagara.com)**

**CARPET • UPHOLSTERY • GARMENT MILLS • LAUNDRY**



# AWESOME <sup>tm</sup>

- STAIN REMOVER
- INK REMOVER FOR TEXTILES
- PRESPOTTER



BEFORE



AFTER



## DESCRIPTION

NON-FLAMMABLE, BIODEGRADABLE, NON-TOXIC  
WATER BASED ALL PURPOSE PRE-SPOTTER & SPOTTER

## DIRECTIONS

AIM DIRECTIONAL TIP DIRECTLY ONTO THE STAINED AREA. SQUIRT ON A DROP OR TWO AND WORK IN GENTLY WITH A BRUSH OR A CLEAN WHITE CLOTH. WHEN STAIN HAS LIGHTENED, SPRAY OUT WITH SPOTTING SOLVENT OR RINSE WITH COLD WATER.

## OTHER USES & DIRECTIONS FOR BEDDING OR CARPET

1. GENEROUSLY APPLY FLUID DIRECTLY TO STAIN.
2. RUB STAIN WITH FINGERS OR BRUSH UNTIL STAIN DISSOLVES.
3. BLOT CARPET WITH TERRY CLOTH TOWEL
4. REPEAT STEPS AS NEEDED.

## FOR GARMENTS & UPHOLSTERY OR AS A PRE-SPOTTER

1. APPLY TO A TERRY CLOTH TOWEL. DO NOT APPLY DIRECTLY TO FABRIC.
2. RUB STAIN WITH THE TOWEL
3. BLOT FABRIC WITH A DRY TOWEL
4. REPEAT STEPS AS NEEDED.

TO REMOVE INK: DIP BRUSH INTO INK-ERAD AND APPLY TO FABRIC. THEN, FILL BOWL OF SPRAY GUN WITH AWESOME - AIR DRY. INK WILL DISAPPEAR. REPEAT AS NECESSARY.

NOTE • KEEP BOTTLE TIGHTLY SEALED

**CAUTIONS:** KEEP OUT OF REACH OF CHILDREN. IN CASE OF CONTACT WITH SKIN OR EYES, FLUSH AREA WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. BE SURE TO CHECK FABRIC FOR COLOR FASTNESS. FIRST APPLY AWESOME TO AN INCONSPICUOUS AREA. DO NOT USE ON LEATHER, SATIN, SILK, SUEDE, VELVET, NON-COLORFAST WOOL OR ANY OTHER FABRIC THAT CAN BE DAMAGED BY WATER.

PACKAGED: 12/16 FL. OZ. (473 ML) CASE • 5 GALLON PAILS • 55 GALLON DRUMS

TO ORDER OR FOR FURTHER INFORMATION, PLEASE CALL

# 1-800-241-7708

Your contact is: Wayne Gramling • Ext. 116 • [wayne@american-niagara.com](mailto:wayne@american-niagara.com)



## AMERICAN NIAGARA

DIV. APPAREL SOURCING GROUP, INC.

6690 JONES MILL COURT • BLDG. "A&B" • NORCROSS, GA 30092

PHONE: (770) 441-5900 • FAX (770) 409-7240 OR 7259

TOLL FREE 1-800-241-7708

website: [www.american-niagara.com](http://www.american-niagara.com)

CARPET • UPHOLSTERY • GARMENT MILLS • LAUNDRY



# MATERIAL SAFETY DATA SHEET

PRODUCTS MANUFACTURED BY:  
**AMERICAN NIAGARA** • 6750 JONES MILL COURT • SUITE "E" • NORCROSS, GA 30092  
 PH: (770) 441-5900 • TOLL FREE (800) 241-7708 • FAX (770) 409-7240

**24 HOUR EMERGENCY 800-424-9300 CHEMTREC**

PRODUCT MANUFACTURED FOR (IF DIFFERENT FROM ABOVE)  
**AMERICAN NIAGARA // TEE SQUARES**  
 \*NOTE SEE ABOVE

## SECTION I PRODUCT IDENTIFICATION

### CHEMICAL NAMES & SYNONYMS

NOT HAZARDOUS AS DEFINED IN 29CFR 1910.1200

### TRADE NAME

**AWESOME**

## SECTION II HAZARDOUS INGREDIENTS WITH CAS #S, TLV & HAZARDOUS WEIGHT BY %

### INGREDIENTS THAT ARE APPLICABLE

### TLV

### CAS NUMBERS THAT ARE APPLICABLE

### % BY WEIGHT

NOT HAZARDOUS AS DEFINED IN 29CFR 1910.1200

NOTE: EXACT PERCENTAGES WITHHELD UNDER 29CFR 19.10.1200(i) A TRADE SECRET

## SECTION IIA CHEMICAL RATING SYSTEM

CHEMICAL RATING SYSTEM WHEN APPLICABLE / NFPA (NATIONAL FIRE PROTECTION AGENCY) - PRODUCTS ARE GRADED FROM 0 TO 4 ON (H) HEALTH, (F) FLAMMABILITY, AND (R) REACTIVITY. 0=NO SPECIAL HAZARD; 1=SLIGHT; 2=MODERATE; 3=HIGH; 4=EXTREME. THE INFORMATION FOR THIS PRODUCT IS AS FOLLOWS (\*NOTE MAY NOT BE APPLICABLE ON CERTAIN TYPES OF PRODUCTS)

H = 1 F = 0 R = 0 \*NFPA RATINGS

## SECTION III PHYSICAL DATA

BOLING POINT (F)	214 F	SPECIFIC GRAVITY (WATER = 1)	1.05 @ 25/25 C
VAPOR PRESSURE	N/D	EVAPORATION RATE (ETHER = 1)	N/D
SOLUBILITY IN WATER (CENT)	SOLUBLE	APPEARANCE AND ODOR	CLEAR BLUE; MILD ODOR
		MELTING POINT:	NOT DETERMINED

## SECTION IV FIRE & EXPLOSION HAZARD DATA

### FLASH POINT (METHOD USED)

WILL NOT BURN

### FLAMMABLE LIMITS / LOWER / UPPER

N/A

### EXTINGUISHING MEDIA

N/A

SPECIAL FIRE FIGHTING EQUIPMENT WEAR POSITIVE PRESSURE, SELF CONTAINED BREATHING APPARATUS

### UNUSUAL FIRE AND EXPLOSION HAZARDS

APPROACH FIRE FROM UPWIND SIDE. AVOID BREATHING SMOKE, FUMES, MIST OR VAPORS ON THE DOWNWIND SIDE. FIREFIGHTERS WEAR PROTECTIVE CLOTHING. IF STORED IN DRUMS: CONTAINERS MAY RUPTURE FROM INTERNAL PRESSURE IF CONFINED TO FIRE AREA. COOL WITH WATER. GET NON-EMERGENCY PERSONNEL OUT OF AREA.

## SECTION V REACTIVITY DATA

STABLE YES

### STABILITY

#### UNSTABLE

#### CONDITIONS TO AVOID

STABILITY AVOID OPEN FLAMES, WELDING ARCS OR OTHER HIGH TEMPERATURE SOURCES WHICH INDUCE THERMAL DECOMPOSITION.

### INCOMPATIBILITY: (SPECIFIC MATERIALS TO AVOID)

STRONG ACIDS, OXIDIZERS OR OXIDIZING MATERIALS, AND WATER. AVOID SODIUM NITRATES, HALOGENS.

### HAZARDOUS DECOMPOSITION

FROM COMBUSTION: SMOKE, CARBON MONOXIDE, CARBON DIOXIDE.

### HAZARDOUS POLYMERIZATION

WILL NOT OCCUR

**MATERIAL SAFETY DATA SHEET (M.S.D.S.) \* PAGE #2**  
**AMERICAN NIAGARA • 6750 JONES MILL COURT • SUITE "E" • NORCROSS, GA 30092**  
**PH: (770)441-5900 • TOLL FREE (800) 241-7708 • FAX (770) 409-7240**  
**24 HOUR EMERGENCY 800-424-9300 CHEMTREC**

**PRODUCTNAME: AWESOME**

**SECTION VI HEALTH HAZARD INFORMATION**

**EYE** MAY CAUSE EYE PAIN. MAY CAUSE SLIGHT TRANSIENT (TEMPORARY) IRRITATION WITH SLIGHT CORNEAL INJURY. VAPORS MAY IRRITATE EYES.

**SKIN CONTACT** PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN IRRITATION. REPEATED CONTACT MAY CAUSE DRYING OR FLAKING OF SKIN.

**SKIN ABSORPTION** NOT LIKELY

**INGESTION** NOT LIKELY

**INHALATION** POSSIBLE IRRITANT

**ACUTE** IRRITANT TO SKIN, EYES, MUCOUS MEMBRANES AND RESPIRATORY TRACT.

**CHRONIC** UNKNOWN

**CARCINOGENICITY** LISTED IN NTP: NO JARC MONOGRAPHS: NO OSHA REGULATED: NO

**EMERGENCY & FIRST AID PROCEDURES**

**EYE & SKIN**  
REMOVE CONTAMINATED CLOTHING AND FLUSH EXPOSED AREAS WITH WATER FOR 5 TO 15 MINUTES.

**INHALATION**  
REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, ADMINISTER RESPIRATION OR OXYGEN IF AVAILABLE. CALL A PHYSICIAN.

**INGESTION**  
INDUCE VOMITING IF VICTIM IS CONSCIOUS BY GIVING WATER, THEN STICK FINGERS DOWN THROAT. CALL PHYSICIAN AND OBTAIN MEDICAL ATTENTION - IMMEDIATELY. NEVER GIVE AN UNCONSCIOUS PERSON ANYTHING BY MOUTH.

**SECTION VII SPILL & DISPOSAL PROCEDURES**

**SMALL LEAKS**  
MOP UP, WIPE UP, OR SOAK UP IMMEDIATELY. REMOVE TO OUT-OF-DOORS.

**LARGE SPILLS** EVACUATE AREA. CONTAIN LIQUID; FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.

**DISPOSAL METHOD** WHEN DISPOSING OF THE UNUSED CONTENTS, THE PREFERRED OPTIONS ARE TO SEND LICENSED RECLAIMER, OR TO PERMITTED INCINERATORS. ANY DISPOSAL PRACTICE MUST BE IN COMPLIANCE WITH FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS. DO NOT DUMP INTO ANY BODY OF WATER. EMPTY CONTAINERS MUST BE DISPOSED OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS. DO NOT CUT OR WELD CONTAINER DUE TO EXPLOSION HAZARD.

**SECTION VIII SPECIAL PROTECTION INFORMATION**

**RESPIRATORY:** NONE REQUIRED WHEN USED WITH ADEQUATE VENTILATION

**EYE** CHEMICAL SAFETY GOGGLES, CONTACT LENSES SHOULD NOT BE WORN.

**SKIN** NEOPRENE, VITON, POLYVINYL ALCOHOL COATED GLOVES OR EQUIVALENT.

**OTHER** PROTECTIVE HEADGEAR & APRON WHEN SPLASHING IS A PROBLEM

**VENTILATION REQUIREMENTS** SUFFICIENT TO MAINTAIN BELOW PEL

**SECTION IX SPECIAL PRECAUTIONS**

**HANDLING & STORAGE** AVOID CONTACT WITH SKIN AND AVOID BREATHING VAPORS. PIPE VENTS OUTDOORS. STORE IN COOL, DRY VENTILATED AREA. VAPORS HEAVIER THAN AIR AND WILL COLLECT IN LOW AREAS.

**OTHER** PREVENT MOIST AIR FROM ENTERING STORAGE. NO SMOKING IN PRESENCE OF VAPORS. CONTACT WITH ALUMINUM PARTS IN A PRESSURIZABLE FLUID SYSTEM MAY CAUSE VIOLENT REACTIONS. CONSULT EQUIPMENT SUPPLIER FOR FURTHER INFORMATION.

**DISCLAIMER**

THE INFORMATION CONTAINED IN THIS MATERIAL SAFETY DATA SHEET IS PROVIDED PURSUANT TO 29 CFR 1910.1200 TO CONVEY INFORMATION CONCERNING THE HAZARDOUS NATURE OF THE NAMED PRODUCT. THE INFORMATION SUPPLIED WAS COMPILED FROM THE MOST RELIABLE SOURCES AVAILABLE AT THE TIME OF PREPARATION AND IN LIGHT OF THE MOST REASONABLE FORSEEABLE EXPOSURE SITUATIONS EXPECTED FROM THE INTENDED USE OF THIS PRODUCT. THE MATERIAL MAY PRESENT GREATER OR LESSER HAZARD EXPOSURE UNDER OTHER CIRCUMSTANCES THAT ARE BEYOND THE CONTROL OF THE MANUFACTURER. FOLLOW ALL DIRECTIONS AND WARNINGS ON THE PRODUCT LABEL.

**DATE: 01-07**