## SAFETY DATA SHEET (SDS)

(Formerly MSDS)

## SECTION 1: IDENTIFICATION (PRODUCT AND COMPANY)

PRODUCT NAME: BLOCKOUT PEN GREEN (ETHANOL FORMULATION)

SYNONYMS: SCREEN PRINTING RETOUCHING PEN,

MANUFACTURER: FIRST PRINT, INC.

ADDRESS: 109 CAMBRIDGE STREET, WINCHESTER, MA 01890

**EMERGENCY PHONE: 781 729 7714** 

OTHER CALLS: TEL. 800 483 5824 EMAIL: firstprint@comcast.net

FAX. 781 756 0381

CHEMICAL NAME: SOLVENT BASED BLOCKOUT, SCREEN FILLER

PRODUCT USE: RETOUCHING OF SCREEN PRINTING STENCILS

DATE PREPARED: MAY 14, 2015

PREPARED BY: THOMAS ACCARDO

#### SECTION 2: HAZARD(S) IDENTIFICATION

#### **CLASSIFICATION OF THE CHEMICAL:**

FLAMMABLE LIQUID (CATEGORY 2) SKIN IRRITATION (CATEGORY 3) EYE IRRITATION (CATEGORY 2A)

SIGNAL WORD:

WARNING

**RISK PHRASES:** 

R11: HIGHLY FLAMMABLE R36: IRRITATING TO EYES

**R66 REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING** 

R67: VAPORS MAY CAUSE DROWSINESS AND DIZZINESS





#### **HAZARD STATEMENTS:**

H225: HIGHLY FLAMMABLE LIQUID AND VAPOR

H316: CAUSES MILD SKIN IRRITATION H319: CAUSES SERIOUS EYE IRRITATION

H336: MAY CAUSE DROWSINESS OR DIZZINESS

## PRECAUTIONARY STATEMENTS:

P210: KEEP AWAY FROM HEAT / SPARKS / OPEN FLAMES / HOT SURFACES. NO SMOKING

P261: AVOID BREATHING DUST / FUME / GAS / MIST / VAPORS / SPRAY

P305 + P351 + P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING.

WARNING! FLAMMABLE LIQUID. VAPOR HARMFUL. HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM CHILDREN. KEEP AWAY FROM HEAT, SPARKS, FLAME AND ALL OTHER SOURCES OF IGNITION. DO NOT USE WHILE SMOKING. KEEP OUT OF DIRECT SUNLIGHT. KEEP OUT OF AUTOMOBILES. DO NOT KEEP PEN IN CLOTHING POCKETS. USE WITH ADEQUATE VENTILATION. FOR INDUSTRIAL / PROFESSIONAL USE ONLY. MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. IF SWALLOWED, DO NOT INDUCE VOMITING GET IMMEDIATE MEDICAL ATTENTION. FOR CONTACT WITH EYES GET IMMEDIATE MEDICAL HELP.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENTS	CAS NO.	OSHA PEL	ACGIH TLV	<u>% WT</u>	NFPA**
ETHYL ALCOHOL (ETHANOL)	64-17-5	TWA 1000 PPM	TWA 1000 PPM	15-30	0/3/0
ACETONE	67-64-1	TWA 1000 PPM	TWA 500 PPM	15-30	1/3/0
METHYL ISOBUTYL KETONE	108-10-1	TWA 100 PPM	TWA 50 PPM	0-5	2/3/0

<sup>\*\*</sup> NATIONAL FIRE PROTECTION AGENCY (HAZARD CODE: 0 MINIMAL, 1 SLIGHT, 2 MODERATE, 3 SERIOUS, 4 SEVERE) (HEALTH/FLAMMABILITY/REACTIVITY)

## **SECTION 4: FIRST- AID MEASURES**

EYES: IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION.

SKIN: WASH THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING.

INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL HELP.

INHALATION: REMOVE TO FRESH AIR. IF REQUIRED, PROVIDE ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL ATTENTION.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: UNUSED (NEW) PENS CONTAIN APPROXIMATELY 10 ML OF LIQUID.

**POTENTIAL HEALTH EFFECTS:** 

EYES: LIQUID AND VAPOR MAY IRRITATE THE EYES.

SKIN: LIQUID IS MILDLY IRRITATING TO SKIN. REPEATED CONTACT MAY CAUSE DEFATTING OF SKIN INGESTION:

INGESTION: MAY CAUSE VOMITING.

 $\textbf{INHALATION:} \ \textbf{HIGH CONCENTRATIONS OF VAPORS MAY CAUSE RESPIRATORY TRACTIRRITATION,} \ \textbf{HEADACHES},$ 

**DIZZINESS AND NAUSEA.** 

**ACUTE HEALTH HAZARDS: SEE ABOVE** 

CHRONIC HEALTH HAZARDS: PROLONGED SKIN CONTACT MAY DEFAT THE SKIN AND PRODUCE DERMATITIS. MAY BE ABSORBED

THROUGH SKIN. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING OR INHALING VAPORS MAY

BE HARMFUL OR FATAL.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: DERMATITIS

CARCINOGENICITY:

OSHA: ACGIH: NTP: IARC: NO NO NO NO

#### **SECTION 5: FIRE-FIGHTING MEASURES**

EXTINGUISHING MEDIA: DRY CHEMICAL, FOAM OR CARBON DIOXIDE. WATER MAY BE INEFFECTIVE. WATER MAY BE USED TO KEEP FIRE EXPOSED PRODUCT COOL.

SPECIAL FIRE FIGHTING PROCEDURES: N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS: PENS EXPOSED TO HEAT MAY BURST.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE, SMOKE, POSSIBLY OTHER TOXIC COMBUSTION PRODUCTS.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

ACCIDENTAL RELEASE MEASURES: NOT EXPECTED IN NORMAL USE

## **SECTION 7: HANDLING AND STORAGE**

HANDLING AND STORAGE: STORE PENS IN COOL DRY PLACE. DO NOT KEEP PENS IN CLOTHING POCKETS. DO NOT USE WHILE SMOKING. KEEP OUT OF DIRECT SUNLIGHT. DO NOT KEEP PENS IN AUTOMOBILES WHERE ELEVATED TEMPERATURES FROM SOLAR HEATING MAY EXIST. USE WITH ADAQUATE VENTILATION.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

HAZARDOUS INGREDIENTS	CAS NO.	OSHA PEL	ACGIH TLV	<u>% WT</u>	NFPA**
ETHYL ALCOHOL	64-17-5	TWA 1000 PPM	TWA 1000 PPM	15-30	0/3/0
ACETONE	67-64-1	TWA 1000 PPM	TWA 500 PPM	15-30	1/3/0
METHYL ISOBUTYL KETONE	108-10-1	TWA 100 PPM	TWA 50 PPM	0-5	2/3/0

<sup>\*\*</sup> NATIONAL FIRE PROTECTION AGENCY (HAZARD CODE: 0 MINIMAL, 1 SLIGHT, 2 MODERATE, 3 SERIOUS, 4 SEVERE) HEALTH/FLAMMABILITY/REACTIVITY)

ENGINEERING CONTROLS: NOT REQUIRED UNDER NORMAL USE.

**VENTILATION: USE WITH LOCAL VENTILATION.** 

RESPIRATORY PROTECTION: NOT REQUIRED UNDER NORMAL USE.

EYE PROTECTION: NOT REQUIRED UNDER NORMAL USE.

SKIN PROTECTION: NOT REQUIRED UNDER NORMAL USE.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NOT REQUIRED UNDER NORMAL USE.

WORK HYGIENIC PRACTICES: USE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE PRACTICES.

AVOID CONTACT WITH SKIN. WASH HANDS AFTER USE.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE: GREEN VISCOUS LIQUID

FLAMMABILITY LIMITS IN AIR.\* UPPER: 12.8 @150 C (% BY VOLUME) LOWER: 2.5 @150 C

\*DATA GIVEN FOR ACETONE

ODOR: STRONG SOLVENT ODOR VAPOR PRESSURE: NO DATA ODOR THRESHOLD: NO DATA VAPOR DENSITY: GREATER THAN AIR pH: NO DATA

RELATIVE DENSITY: NO DATA MELTING POINT: NO DATA FREEZING POINT: < 0 C

SOLUBILITY IN WATER: PARTIALY SOLUBLE

INITIAL BOILING POINT AND BOILING RANGE: NO DATA FLASH POINT: -20 C (-4F) (CLOSED CUP FOR ACETONE)

EVAPORATION RATE: > 1 (BUTYL ACETATE = 1) FLAMMABILITY: LIQUID IS HIGHLY FLAMMABLE PARTITION COEFICIENT: NO DATA AUTO-IGNITION TEMPERATURE: NO DATA DECOMPOSITION TEMPERATURE: NO DATA

VISCOSITY: 900 cp

SPECIFIC GRAVITY: @ 23 C .943 (H2O = 1)

VOLATILE ORGANIC COMPOUNDS (VOC): 705 gr/l ~ 80% BY WT.

### **SECTION 10: STABILITY AND REACTIVITY**

STABILITY: STABLE UNDER ORDINARY CONDITIONS OF USE AND STORAGE

CONDITIONS TO AVOID: HEAT, FLAME, IGNITION SOURCES

INCOMPATIBILITY (MATERIAL TO AVOID): STRONG OXIDIZING AGENTS, ACIDS, STRONG ALKALIES, STRONG BASES. HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

## **SECTION 11: TOXICOLOGICAL INFORMATION**

THIS PRODUCT HAS NOT BEEN TESTED FOR TOIXCOLOGICAL EFFECTS. DATA FOR INDIVIDUAL INGREDIENTS IS WIDELY AVAILABLE.

**POTENTIAL HEALTH EFFECTS:** 

EYES: LIQUID AND VAPOR MAY IRRITATE THE EYES.

SKIN: LIQUID IS MILDLY IRRITATING TO SKIN. REPEATED CONTACT MAY CAUSE DEFATTING OF SKIN INGESTION:

INGESTION: MAY CAUSE VOMITING.

INHALATION: HIGH CONCENTRATIONS OF VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION, HEADACHES,

**DIZZINESS AND NAUSEA.** 

ACUTE TOXICITY: DATA FOR ACETONE, ORAL RAT LD50: 5800 mg/kg; INHALATION RAT LC50: 50,100 mg/m³

CHRONIC HEALTH HAZARDS: PROLONGED SKIN CONTACT MAY DEFAT THE SKIN AND PRODUCE DERMATITIS. MAY BE ABSORBED

THROUGH SKIN. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING OR INHALING VAPORS MAY

BE HARMFUL OR FATAL.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: DERMATITIS

**CARCINOGENICITY:** 

OSHA: ACGIH: NTP: IARC: NO NO NO NO

## **SECTION 12: ECOLOGICAL INFORMATION**

THIS PRODUCT HAS NOT BEEN TESTED FOR ECOLOGICAL EFFECTS. DATA FOR INDIVIDUAL INGREDIENTS IS WIDELY AVAILABLE.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

#### **SECTION 14: TRANSPORT INFORMATION**

U.S. DEPARTMENT OF TRANSPORTATION

DOMESTIC SURFACE (MOTOR FREIGHT): REQUIRES ORM-D LABEL

PROPER SHIPPING NAME: INK/PAINT

HAZARD CLASS: 3 ID NUMBER: UN1263 PACKING GROUP: 3

LABEL STATEMENT: FLAMMABLE LIQUID (3)

AIR TRANSPORTATION: DO NOT SHIP BY AIR.

# SECTION 15: REGULATORY INFORMATION (NOT MEANT TO BE ALL INCLUSIVE, OTHER REGULATIONS MAY APPLY)

U.S. FEDERAL REGULATIONS: THIS MATERIAL IS HAZARDOUS BY DEFINITION OF HAZARDOUS COMMUNICATION STANDARD 29 CFR 1919.1200

STATE REGULATIONS: THIS PRODUCT DOES NOT CONTAIN CHEMICALS LISTED ON CALIFORNIA PROP 65.

## **SECTION 16: OTHER INFORMATION**

THIS SDS SUPERSEDES MSDS FOR BLOCKOUT PEN GREEN OF SEPTEMBER 2013

DISCLAIMER: THIS SAFETY DATA SHEET IS PREPARED AS AN INFORMATION ONLY RESOURCE. FIRST PRINT, INC. BELIEVES THE INFORMATION CONTAINED HEREIN IS ACCURATE AND COMPILED FROM RELIABLE SOURCES. IT IS THE RESPONSIBILITY OF THE USER TO VERIFY ITS VALIDITY. THE BUYER ASSUMES ALL RESPONSIBILITY OF USING AND HANDLING THE PRODUCT IN ACCORDANCE WITHALL FEDERAL, STATE AND LOCAL REGULATIONS.